

Publikációs lista (2014. július)

Buglyó Péter

- 62 D. Hüse, L. Bíró, J. Patalenzski, A. C. Bényei and *P. Buglyó*
Complex formation between $[(\eta^6\text{-}p\text{-cym})\text{Ru}(\text{H}_2\text{O})_3]^{2+}$ and hydroxycarboxylates or their sulphur analogues: The role of thiolate group in metal ion binding
Eur. J. Inorg. Chem., **2014**, *accepted*
Impakt faktor: 2,965 (2013)
- 61 L. Bíró, A. J. Godó, Zs. Bihari, E. Garribba and *P. Buglyó*
Tuning the Hydrolytic Properties of Half-Sandwich Type Organometallic Cations in Aqueous Solution
Eur. J. Inorg. Chem., **2013**, 3090-3100
Impakt faktor: 2,965 (2013)
- 60 L. Bíró, E. Balogh and *P. Buglyó*
Interaction between $[\text{Ru}(\eta^6\text{-}p\text{-cym})(\text{H}_2\text{O})_3]^{2+}$ and DL-serine or DL-isoserine: the role of the side chain alcoholic OH group in metal ion binding
J. Organomet. Chem., **2013**, 734, 61-68
Impakt faktor: 2,302 (2013)
- 59 D. Sanna, *P. Buglyó*, A. I. Tomaz, J. Costa Pessoa, S. Borović, G. Micera and E. Garribba
 $\text{V}^{\text{IV}}\text{O}$ and Cu^{II} complexation by ligands based on pyridine nitrogen donors
Dalton Trans., **2012**, 41, 12824-12838
Impakt faktor: 3,806 (2012)
- 58 L. Bíró, D. Hüse, A. C. Bényei and *P. Buglyó*
Interaction of $[\text{Ru}(\eta^6\text{-}p\text{-cym})(\text{H}_2\text{O})_3]^{2+}$ with citrate and tricarballate ions in aqueous solution; X-ray crystal structure of novel half-sandwich Ru(II)-citrate complexes
J. Inorg. Biochem., **2012**, 116, 116-125
Impakt faktor: 3,197 (2012)
- 57 D. Sanna, L. Bíró, *P. Buglyó*, G. Micera, and E. Garribba
Transport of the anti-diabetic VO^{2+} complexes formed by pyrone derivatives in the blood serum
J. Inorg. Biochem., **2012**, 115, 87-99
Impakt faktor: 3,197 (2012)
- 56 D. Sanna, *P. Buglyó*, L. Bíró, G. Micera and E. Garribba
Coordinating Properties of Pyrone and Pyridinone Derivatives, Tropolone and Catechol toward the VO^{2+} Ion: An Experimental and Computational Approach
Eur. J. Inorg. Chem., **2012**, 1079-1092
Impakt faktor: 3,120 (2012)
- 55 A. J. Godó, A. C. Bényei, B. Duff, D. A. Egan and *P. Buglyó*
Synthesis and X-ray diffraction structures of novel half-sandwich Os(II)- and Ru(II)-hydroxamate complexes
RSC Advances, **2012**, 2, 1486–1495
Impakt faktor: 2,562 (2012)
- 54 D. Sanna, L. Bíró, *P. Buglyó*, G. Micera and E. Garribba
Biotransformation of BMOV in the presence of blood serum proteins
Metallomics, **2012**, 4, 33-36
Impakt faktor: 4,099 (2012)
- 53 D. M. Griffith, L. Bíró, J. A. Platts, H. Müller-Bunz, E. Farkas, and *P. Buglyó*

Synthesis and solution behaviour of stable mono-, di and trinuclear Pd(II) complexes of 2,5-pyridinedihydroxamic acid; X-ray crystal structure of a novel Pd(II) hydroxamate complex
Inorg. Chim. Acta, **2012**, *380*, 291-300

Impakt faktor: 1,687 (2012)

- 52 L. Bíró, E. Farkas and P. Buglyó
Hydrolytic behaviour and chloride ion binding capability of $[\text{Ru}(\eta^6\text{-}p\text{-cym})(\text{H}_2\text{O})_3]^{2+}$ – A solution equilibrium study
Dalton Trans., **2012**, *41*, 285-291
Impakt faktor: 3,806 (2012)
- 51 Buglyó P.
Új, félszendvics ruténium(II)-komplexek: szilárd fázisú és oldategyensúlyi vizsgálatok
Magyar Kémikusok Lapja, **2011**, *66*, 37-39
Impakt faktor: -----
- 50 D. M. Griffith, B. Szócs, T. Keogh, K. Y. Suponitsky, E. Farkas, P. Buglyó and C. J. Marmion
Suberoylanilide hydroxamic acid, a potent histone deacetylase inhibitor; its X-ray crystal structure and solid state and solution studies of its Zn(II), Ni(II), Cu(II) and Fe(III) complexes
J. Inorg. Biochem., **2011**, *105*, 763-769
Impakt faktor: 3,354 (2011)
- 49 E. Csapó, P. Buglyó, N. V. Nagy, M. A. Santos, A. Corona and E. Farkas
Syntheses and characterization of Cu^{2+} , Ni^{2+} and Zn^{2+} binding capability of histidinehydroxamic acid derivatives
Polyhedron, **2010**, *29*, 3137-3145
Impakt faktor: 2,033
- 48 L. Bíró, E. Farkas and P. Buglyó
Complex formation between $[\text{Ru}(\eta^6\text{-}p\text{-cym})(\text{H}_2\text{O})_3]^{2+}$ and (O,O) donor ligands with biological relevance in aqueous solution
Dalton Trans., **2010**, *39*, 10272-10278
Impakt faktor: 3,647
- 47 D. Sanna, P. Buglyó, G. Micera and E. Garribba
A Quantitative Study of the Biotransformation of Insulin-Enhancing $\text{V}^{\text{IV}}\text{O}$ Compounds
J. Biol. Inorg. Chem., **2010**, *15*, 825-839
Impakt faktor: 3,287
- 46 P. Buglyó and E. Farkas
Novel Half-sandwich Ru(II)-Hydroxamate Complexes: Synthesis, Characterization and Equilibrium Study in Aqueous Solution
Dalton Trans., **2009**, 8063-8070
Impakt faktor: 4,081
- 45 E. Farkas, E. Csapó, P. Buglyó, C. A. Damante and G. Di Natale
Metal-binding Ability of Histidine-containing Peptidehydroxamic Acids: Imidazole versus Hydroxamate Coordination
Inorg. Chim. Acta, **2009**, *362*, 753-762
Impakt faktor: 2,322
- 44 E. Farkas, E. Csapó and P. Buglyó
Effects of Imidazole Containing R_C Substituents on the Metal Binding Capability of Potentially Metalloenzyme Inhibitor Hydroxamic Acids
Metal Ions in Biology and Medicine, **2008**, *10*, 393-398
Impakt faktor: -
- 43 Y. N. Kozlov, V. B. Romakh, A. Kitaygorodskiy, P. Buglyó, G. Süss-Fink, and G. B. Shul'pin

Oxidation of 2-Propanol and Cyclohexane by the Reagent 'Hydrogen Peroxide–Vanadate Anion–Pyrazine-2-carboxylic Acid': Kinetics and Mechanism

J. Phys. Chem. A, **2007**, *111*, 7736-7752

Impakt faktor: 3,047

- 42 M. Andrási, P. Buglyó, L. Zékány and A. Gáspár
A Comparative Study of Capillary Zone Electrophoresis and pH-potentiometry for Determination of Dissociation Constants
J. Pharm. Biomed. Anal., **2007**, *44*, 1040-1047
Impakt faktor: 2,032
- 41 P. Buglyó, E.M. Nagy, E. Farkas, I. Sóvágó, D. Sanna and G. Micera
New insights into the metal-peptide hydroxamate interactions: Metal complexes of primary hydroxamic acid derivatives of common dipeptides in aqueous solution
Polyhedron, **2007**, *26*, 1625-1633
Impakt faktor: 1,843
- 40 E. Farkas, D. Bátka, E. Csapó, P. Buglyó, W. Haase and D. Sanna
Synthesis and Characterisation of Cu²⁺, Ni²⁺ and Zn²⁺ Binding Capability of Some Amino- and Imidazole Hydroxamic Acids: Effects of Substitution of Side Chain Amino-N for Imidazole-N or Hydroxamic-N-H for –N-CH₃ on Metal Complexation
Polyhedron, **2007**, *26*, 543-554
Impakt faktor: 1,843
- 39 E. Farkas, D. Bátka, P. Buglyó and M. A. Santos
Hydroxamic Acids as Potential Lead(II) Sequestering Agents: Factors Affecting Lead(II) Binding Properties of Hydroxamic Acids
Metal Ions in Biology and Medicine, **2006**, *9*, 101-104
Impakt faktor: -
- 38 P. Buglyó, D.C. Crans, E.M. Nagy, R.L. Lindo, L. Yang, J.J. Smee, W. Jin, L.-H. Chi, M.E. Godzala III, and G.R. Willsky
Aqueous Chemistry of the Vanadium^{III} and the V^{III}-Dipicolinate Systems and a Comparison of the Effect of Three Oxidation States of Vanadium Compounds on Diabetic Hyperglycemia in Rats
Inorg. Chem., **2005**, *44*, 5416-5427
Impakt faktor: 3,851
- 37 P. Buglyó and N. Pótári
Study of the interaction between oxovanadium(IV) and hydroxamic acids
Polyhedron, **2005**, *24*, 837-845
Impakt faktor: 1,957
- 36 P. Buglyó, E.M. Nagy and I. Sóvágó
Vanadium(III) Binding Strengths of Small Biomolecules
Pure Appl. Chem., **2005**, *77*, 1583-1594
Impakt faktor: 1,679
- 35 E. Farkas, D. Bátka, Z. Pataki, P. Buglyó and M. A. Santos
Interaction of Desferrioxamine B (DFB) model dihydroxamic acids with some essential and toxic metal(II) ions: effects of the structure and length of connecting chains on the metal ion selectivity
Dalton Trans., **2004**, 1248-1253
Impakt faktor: 2,926
- 34 E. Farkas, P. Buglyó, É. A. Enyedy and M. A. Santos
Factors Affecting the Metal Ion - Hydroxamate Interactions II: Effect of the Length of the Connecting Chain on the Fe(III), Mo(VI) and V(V) Complexation of Some New Desferrioxamine B (DFB) Model Dihydroxamic Acids
Inorg. Chim. Acta, **2004**, *357*, 2451-2461
Impakt faktor: 1,554

- 33 S. Bouhsina, P. Buglyó, E. Abi Aad, A. Aboukais and T. Kiss
Formation of oligonuclear complexes between copper(II) and 1-hydroxyethane-1,1-diphosphonic acid
Inorg. Chim. Acta, **2004**, 357, 305-310
Impakt faktor: 1,554
- 32 J. Gätjens, B. Meier, T. Kiss, E.M. Nagy, P. Buglyó, H. Sakurai, K. Kawabe and D. Rehder
A New Family of Insulin-Mimetic Vanadium Complexes Derived from 5-Carboalkoxypicolinates
Chem. Eur. J., **2003**, 9, 4924-4935
Impakt faktor: 4,353
- 31 I. Turel, A. Golobič, A. Klavžar, B. Pihlar, P. Buglyó, E. Tolis, D. Rehder and K. Sepčić
Interactions of oxovanadium(IV) and the quinolone family member ciprofloxacin
J. Inorg. Biochem., **2003**, 95, 199-207
Impakt faktor: 2,343
- 30 T. Storr, D. Mitchell, P. Buglyó, K. H. Thompson, V. G. Yuen, J. H. McNeill and C. Orvig
Vanadyl-Thiazolidinedione Combination Agents for Diabetes Therapy
Bioconjugate Chem., **2003**, 14, 212-221
Impakt faktor: 3,547
- 29 M. A. Santos, R. Grazina, P. Buglyó, S. Gama and E. Farkas
A new bipodal carboxy-bis(hydroxypyridinonate) ligand. Synthesis and complexation with copper(II), nickel(II) and zinc(II) in aqueous solution
Polyhedron, **2002**, 21, 2609-2616
Impakt faktor: 1,414
- 28 T. Jakusch, P. Buglyó, A. I. Tomaz, J. Costa Pessoa and T. Kiss
Thiolate-S as anchoring donor in the binary and ternary VO(IV) complexes of mercaptopropionylglycine
Inorg. Chim. Acta, **2002**, 339, 119-128
Impakt faktor: 1,566
- 27 E. Farkas, P. Buglyó, É. A. Enyedy, V. A. Gerlei and A. M. Santos
Factors Affecting the Metal Ion - Hydroxamate Interactions: Effect of the Position of the Peptide Function in the Connecting Chain on the Fe(III), Mo(VI) and V(V) Complexation of Some New Desferrioxamine B (DFB) Model Dihydroxamic Acids
Inorg. Chim. Acta, **2002**, 339, 215-223
Impakt faktor: 1,566
- 26 P. Buglyó, T. Kiss, E. Kiss, D. Sanna, E. Garribba and G. Micera
Interaction between the Low Molecular Mass Components of Blood Serum and the VO(IV)-DHP System (DHP = 1,2-Dimethyl-3-Hydroxy-4(1H)-pyridinone)
J. Chem. Soc., Dalton Trans., **2002**, 2275
Impakt faktor: 3,023
- 25 J. Costa Pessoa, A. I. Tomaz, T. Kiss, E. Kiss and P. Buglyó
The Systems VO²⁺ - glutathione and related ligands: a potentiometric and spectroscopic study
J. Biol. Inorg. Chem., **2002**, 7, 225-240
Impakt faktor: 3,911
- 24 J. Costa Pessoa, A. I. Tomaz, T. Kiss and P. Buglyó
The System VO²⁺ + oxidized glutathione: a potentiometric and spectroscopic study
J. Inorg. Biochem., **2001**, 84, 259
Impakt faktor: 1,729
- 23 P. Buglyó, E. Kiss, I. Fábrián, T. Kiss, D. Sanna, E. Garribba, G. Micera
Speciation and NMR relaxation studies of VO(IV) complexes with several O-donor containing

ligands: oxalate, malonate, maltolate and kojate

Inorg. Chim. Acta, **2000**, *306*, 174

Impakt faktor: 1,200

- 22 A. Gáspár and P. Buglyó
Separation and Kinetic Study of Chromium(III) Chloro Complexes by Capillary Electrophoresis
Chromatographia, **2000**, *51*, S-143
Impakt faktor: 1,619
- 21 B. Song, P. Mehrkhodavandi, P. Buglyó, Y. Mikata, Y. Shinohara, K. Yoneda, S. Yano, C. Orvig
Acid-base and Metal Ion-binding Properties of Diaminopropyl D-Glucopyranoside and Diaminopropyl D-Mannopyranoside Compounds in Aqueous Solution
J. Chem. Soc. Dalton Trans., **2000**, 1325
Impakt faktor: 2,502
- 20 T. R. Ward, A. Lutz, S. Parell, J. Ensling, P. Gülich, P. Buglyó and C. Orvig
An Iron-based Molecular Redox Switch as a Model for Iron-release from Enterobactin via the "Salicylate Binding Mode"
Inorg. Chem., **1999**, *38*, 5007
Impakt faktor: 2,843
- 19 S. Yano, Y. Shinohara, K. Mogami, M. Yokoyama, T. Tanase, T. Sakakibara, F. Nishida, K. Mochida, I. Kinoshita, M. Doe, K. Ichihara, Y. Naruta, P. Mehrkhodavandi, P. Buglyó, B. Song, C. Orvig, Y. Mikata
General Synthesis of Useful Chelating Reagents Having a Sugar Unit, 1,3-Diamino-2-propyl β -D-glucopyranoside and 1,3-Diamino-2-propyl α -D-mannopyranoside
Chem. Letters, **1999**, 255
Impakt faktor: 1,536
- 18 T. Kiss, K. Petrohán, P. Buglyó, D. Sanna, G. Micera, J. Costa Pessoa and C. Madeira
Oxovanadium(IV)-promoted Peptide-amide Deprotonation in Aqueous Solution
Inorg. Chem., **1998**, *37*, 6389
Impakt faktor: 2,965
- 17 D. Sanna, G. Micera, P. Buglyó, T. Kiss, T. Gajda and P. Surdy
Oxovanadium(IV) Complexes of Imidazole-4-acetic, Imidazole-4,5-dicarboxylic and Pyrazole-3,5-dicarboxylic Acids
Inorg. Chim. Acta, **1998**, *268*, 297
Impakt faktor: 1,454
- 16 P. Buglyó, T. Kiss, M. Dyba, M. Jezowska-Bojczuk, H. Kozłowski and S. Boushina
Complexes of Aminophosphonates - 10. Copper(II) Complexes of Phosphonic Derivatives of Iminoacetate and Nitrilotriacetate
Polyhedron, **1997**, *16*, 3447
Impakt faktor: 1,235
- 15 D. Sanna, G. Micera, P. Buglyó and T. Kiss
Oxovanadium(IV) Complexes of Ligands Containing Phosphonic Moieties
J. Chem. Soc., Dalton Trans., **1996**, 87
Impakt faktor: 2,200
- 14 C. O. Onindo, T. Yu. Sliva, T. Kowalik-Jankowska, I. O. Fritsky, P. Buglyó, L. D. Pettit, H. Kozłowski and T. Kiss
Copper(II) Co-ordination by Oxime Analogues of Amino Acids and Peptides
J. Chem. Soc., Dalton Trans., **1995**, 3911
Impakt faktor: 1,955
- 13 T. Kiss, P. Buglyó, D. Sanna, G. Micera, P. Decock and D. Dewaele
Oxovanadium(IV) complexes of citric and tartaric acids in aqueous solution

Inorg. Chim. Acta, **1995**, 239, 145

Impakt faktor: 1,175

- 12 *P. Buglyó, N. Culeddu, T. Kiss, G. Micera and D. Sanna*
Vanadium(IV) and Vanadium(V) Complexes of Desferrioxamine B in Aqueous Solution
J. Inorg. Biochem., **1995**, 60, 45
Impakt faktor: 1,399
- 11 *P. Buglyó, T. Kiss, E. Alberico, G. Micera and D. Dewaele*
Oxovanadium(IV) Complexes of Di- and Tri-phosphate
J. Coord. Chem., **1995**, 36, 105
Impakt faktor: 0,500
- 10 *E. Alberico, P. Buglyó, T. Kiss, G. Micera and D. Sanna*
An EPR Study on the Binding of Oxovanadium(IV) to Nucleoside Monophosphates. Evidence for the Involvement of the Purine Moiety in the Complexes of Adenosine 5'-Monophosphate
J. Chem. Res.(S), **1994**, 42
Impakt faktor: 0,504
- 9 *P. Buglyó, A. Dessi, T. Kiss, G. Micera and D. Sanna*
Formation of Tris-chelated Vanadium(IV) Complexes by Interaction of Oxovanadium(IV) with Catecholamines, L-Dopa and Related Ligands in Aqueous Solution
J. Chem. Soc., Dalton Trans., **1993**, 2057
Impakt faktor: 1,966
- 8 *J. Balla, P. V. Bernhardt, P. Buglyó, P. Comba, T. W. Hambley, R. Schmidlin, S. Stebler and K. Várnagy*
Chiral Quadridentate Ligands based on amino acids: Template syntheses and properties of the free ligands and their transition metal complexes
J. Chem. Soc., Dalton Trans., **1993**, 1143
Impakt faktor: 1,966
- 7 *T. Kiss, P. Buglyó, G. Micera, A. Dessi and D. Sanna*
Oxovanadium(IV) complexes of mercaptocarboxylic acids
J. Chem. Soc., Dalton Trans., **1993**, 1849
Impakt faktor: 1,966
- 6 *G. Micera, D. Sanna, A. Dessi, T. Kiss and P. Buglyó*
Complex-forming properties of α -hydroxycarboxylic acids with oxovanadium(IV)-ion
Gazz. Chim. Ital. **1993**, 123, 573
Impakt faktor: 0,586
- 5 *P. Buglyó, T. Kiss, L. S. Erre, G. Micera, H. Kozłowski and S. Djemil*
Copper(II) complexes of D-cycloserine and its hydrolytic product β -aminox-D-alanine
J. Inorg. Biochem., **1992**, 46, 49
Impakt faktor: 1,361
- 4 *Buglyó P. és Kiss T.*
Trisz komplex képződése az oxovanádium(IV)-tiron rendszerben
Magy. Kém. Foly., **1991**, 97, 108
Impakt faktor: 0,292
- 3 *P. Buglyó and T. Kiss*
Formation of a tris complex in the vanadium(IV)-tiron system
J. Coord. Chem., **1991**, 22, 259
Impakt faktor: 0,447
- 2 *E. Farkas and P. Buglyó*
Modification of metal binding ability of L- α -alaninehydroxamic acid by different B ligands
Magy. Kém. Foly., **1990**, 96, 192

Impakt faktor: 0,201

- 1 E. Farkas and P. Buglyó
Complex formation between transition metals and DL-aspartic acid- β -hydroxamic acid (N-hydroxyasparagine)
J. Chem. Soc., Dalton Trans., **1990**, 1549
Impakt faktor: 1,769